

RCT



CATALOGUE

CONTENT

KEYBOARD & MOUSE COMBOS	4
MICE	5
DOCKING STATIONS & HUBS	7
TRAVEL ADAPTERS	8
CABLE LOCKS	10
HARD DRIVE ENCLOSURES	11
CHARGING KITS & RCT CABLES	12
MONITOR BRACKETS	13
PROJECTOR BRACKETS	14
TV BRACKETS	15

RCT K11

COMBO



KEYBOARD + MOUSE COMBO'S



**RCT K35 Wireless
Keyboard & Mouse Combo**

**RCT-K35
COMBO**



**RCT K11
Keyboard & Mouse Combo**

**RCT-K11
COMBO**



**RCT K11W Wireless
Keyboard & Mouse Combo**

**RCT-K11
WIRELESS COMBO**

Keyboard

Device interface

USB

Keyboard form factor

Standard

Number of Keys

104

Numeric keypad

Y

Windows keys

Y

Keyboard layout

QWERTY

Keyboard language

English

Keyboard key switch

Scissor switch

Mouse

Number of Buttons

3

DPI

1200DPI

Movement detection

Optical

Connection

USB Nano reciever

Wired

Standard

104

Y

Y

QWERTY

English

Membrane key switch

6

1000-1600 DPI

Optical

Wired USB

USB

Standard

104

Y

Y

QWERTY

English

Membrane key switch

5

1000-3200 DPI

Optical

USB Nano reciever

MICE



**RCT Wired
Optical Mouse**

RCT GM-193U



**RCT Dual-Mode
Wireless Mouse**

RCT GM-193B



**RCT 2.4GHz Wireless
Optical Mouse**

RCT CM-623BK

Mouse

Mouse Type

Optical

Scroll Type

Wheel

Buttons Type

Pressed

Number of Buttons

6

Device Interface

USB/USB-C

Battery Type

-

Colour

Black

DPI

1000 - 3200DPI

Supported OS

Windows 7/8/10/11

Optical

Wheel

Pressed (Silent Click)

6

Bluetooth

AA

Black

800 - 1600DPI

Windows 7/8/10/11

Optical

Wheel

Pressed (Silent Click)

6

Bluetooth

AA

Black

800 - 1600DPI

Windows 7/8/10/11

RCT SD-11

USB TYPE C 12-IN-1 HUB



DOCKING STATIONS & HUBS

	Part No.	Name	Description
	RCT DS-GN601C	RCT compact 6-in-1 USB type C hub	RCT compact 6-in-1 USB type C hub with 1x HDMI; 3x USB 3.0; RJ45 and USB C Power pass-through
	RCT ADP-GN401U	RCT 4-in-1 USB type A hub	RCT 4-in-1 USB type A hub with 3x USB 3.0 Type A ports and 1x RJ45 Gigabit ethernet port
	RCT ADP-5050	RCT 3-in-1 USB Type C hub	RCT 3-in-1 USB Type C hub with dual HDMI; USB Type C Power pass-through and Multi-Stream Transport technology
	RCT SD-4	RCT compact 4-in-1 USB type C hub	RCT compact 4-in-1 USB type C hub with 1x HDMI; 1x USB 3.0; RJ45 and USB C Power pass-through
	RCT SD-11	RCT compact 12-in-1 USB Type C hub	RCT compact 12-in-1 USB Type C hub with 2x HDMI; 1x VGA; 3x USB 3.0; 1x USB 2.0; 1x RJ45; PD100W; audio; SD & microSD card reader
	RCT SD-13	RCT 13-in-1 USB type C dock with MST function	RCT 13-in-1 USB type C dock with MST function; 1x HDMI; 1x DP; 3 x USB 3.0; 1x RJ45; PD; 3.5mm audio & mic; SD/TF3.0 reader
	RCT SD-13B	RCT 13-in-1 USB type C dock with MST function	RCT 13-in-1 USB type C dock with MST function; 2x HDMI; 1x DP; 3x USB 3.0; 1x RJ45; PD; 3.5mm audio & mic; SD/TF3.0 reader

ADAPTERS



RCT ADP-4501AC

650Mbps Dual Band Wireless USB Adapter

Interface
USB 2.0

Wireless Speed
Up to 600Mbps total (433Mbps on
5.8GHz + 150Mbps on 2.4GHz)

Wireless Standards
802.11ac / a / b / g / n

Supported OS
Windows XP / Vista / 7 / 8 / 8.1 /
10 / 11 (32/64-bit)



RCT ADP-1258H

PCI Express 2.5G Ethernet Network Adapter

Interface
PCI Express

Output Port
RJ45

Chipset
Realtek RTL8125B

Supported OS
Windows 7/8/8.1/10/11 (32/64 bit),
Windows Server 2008/2012, Linux up to 4.15

TRAVEL ADAPTERS



					
Part no.	RCT ADP-HDMI to VGA	RCT ADP-MDP to HDMI	RCT ADP-GN101CU	RCT ADP-DP to VGA	RCT ADP-DP to HDMI 4K
Connector 1	HDMI	Mini Display port Male	USB C + A converter	Display port	Display port
Connector 2	VGA (HDB15) Female	HDMI Female	Gigabit ethernet	VGA	HDMI

CABLE LOCKS



	Part No.	Cable length	Description
	RCT NL-K01K	1.8m	RCT master keyed notebook security lock; T-Bar compatible
	RCT NL-K301	2m	RCT keyed 3 in 1 notebook security lock; T-Bar; T-Bar Nano and Wedge Lock Slot Compatible
	RCT NL-N02N	1.8m	RCT 4 digit notebook security lock; Nano compatible
	RCT NL-N04KA	1.5m	RCT 4 digit notebook security lock; T-Bar compatible with adapter kit
	RCT NL-N302	1.8m	RCT 4 digit 3 in 1 notebook security lock; T-Bar; T-Bar Nano and Wedge Lock Slot Compatible

HARD DRIVE ENCLOSURES



**RCT 3.5 SATA external
HDD enclosure**

RCT-A3U-U3



**RCT M.2 NVMe &
SATA SSD enclosure**

RCT SSE-NVS100CU

Part no.		
Support	12TB (Max capacity)	4TB (Max capacity)
Input	230V AC (50Hz)	-
Power	5V DC + 12V DC	
Hard drive type	3.5" SATA HDD	M.2 NVME & SATA SSD
Connectivity	USB 3.0 - 5GB/s	USB 3.0 - Max 10Gbps
Material	-	Aluminum
Supported OS	Windows, Linux, Mac OS	Windows, Mac OS
Dimensions	215 x 130 x 42	122x40x13
Weight	66g	54g



RCT CABLES



RCT HDMI CABLE

RCT HDMI CABLE-1.5m
RCT HDMI CABLE-3m
RCT HDMI CABLE-5m
RCT HDMI CABLE-15m



RCT CB MICRO HDMI TO HDMI

RCT CB MICRO
HDMI TO HDMI
3m



RCT HDMI CABLE 8K60

RCT 3m HDMI 2.1; 8K60;
HDMI A Male to A Male
cable



RCT USB-C 2m

RCT USB-C 2m Sync &
Charge cable (Black
with LED Display

CHARGING KITS



RCT PA-GAN65W

RCT 65W Charging Travel kit
Travel adapter + (EU+UK+SA)
Plug and cable

Power Current
DC20V/5A 65W

Connectivity
USB-C to USB-C Sync

Cable Length
1.2m



RCT PA-GAN100W

RCT 65W Charging Travel kit
Travel adapter + (EU+UK+SA)
Plug and cable

Power Current
DC20V/5A 100W

Connectivity
USB-C to USB-C Sync

Cable Length
1.2m

MONITOR MOUNT BRACKETS



BRK-MTS01

**Super Economical
Gas Spring Monitor Arm**

Dimensions

117x493x564mm

Fits Screen Size

17"-32" (Up to 9KG)

VESA Compatible

75x75,
100x100



BRK-MTS02

**Super Economical Gas
Spring Dual Monitor Arm**

Dimensions

948x109x564mm

Fits Screen Size


17"-32" (Up to 9KG)

VESA Compatible

75x75,
100x100

TABLET BRACKETS

BRK-TAB-1



**2-in-1
Multi-Purpose
Anti-theft Tablet Kiosk**

Dimensions

223x151x267mm

Fits Screen Size

7.9"-10.5"

Applicable Device

Universal

PROJECTOR MOUNT BRACKETS



BRK-PRO-1

**Steel Projector
Ceiling Mount**

Dimensions


310x310x215mm

Mounting Range

180~310mm (7.1"~12.2")

Weight Capacity

15kg



BRK-PRO-2

**Short Throw
Projector Wall Mount**

Dimensions

237x203x650mm

Mounting Range

225~316mm (8.9"~12.4")

Weight Capacity

20kg



TV MOUNT BRACKETS



BRK-TV23-65M


**Economical Full-Motion
TV Wall Mount**

Dimensions
382x430x430mm

Fits Screen Size
23"-65"

Max Mounting Hole
100x100 to 400x400

Weight Capacity
30kg



BRK-TV32-75T


**Value-Packed Slim Tilt
TV Wall Mount**

Dimensions
440x426x42mm

Fits Screen Size
32"-75"

Max Mounting Hole
100x100 to 400x400

Weight Capacity
75kg



BRK-TV43-95T

**Value-Packed Slim Tilt
TV Wall Mount**

Dimensions
886x426x42mm

Fits Screen Size
43"-95"

Max Mounting Hole
800x400

Weight Capacity
75kg



BRK-TV50-100M


**Ultra-Slim Heavy-Duty
Full-Motion TV Mount**

Dimensions
259x884x630mm

Fits Screen Size
50"-100"

Max Mounting Hole
800x600

Weight Capacity
65kg





WWW.RCT.CO.ZA